



It's what's inside that counts



TEL +27 21 702 3262
FAX +27 21 702 3270
EMAIL info@h2o.co.za
WEB www.h2o.co.za

For office use: Project number

Client Information

Company <input type="text"/>	First Name <input type="text"/>	Enquiry Date <input type="text"/>
VAT Reg Number <input type="text"/>	Surname <input type="text"/>	
Address <input type="text"/>	Landline <input type="text"/>	Electrical Supply
	Mobile <input type="text"/>	<input type="checkbox"/> 220V Supply
	E-mail <input type="text"/>	<input type="checkbox"/> 380V Supply (Neutral and Earth)
Referred by: <input type="text"/>	Contact Person: <input type="text"/>	Contact Number <input type="text"/>

Raw Water Details

Source Type: Surface Water Borhole Municipal Sea Water

Other Source

Source Pressure bar Source Flow Rate ℓ/hr

Known Problems:

<input type="checkbox"/> Odour / Smell	<input type="checkbox"/> Corrosion	<input type="checkbox"/> Conductivity / TDS
<input type="checkbox"/> Taste	<input type="checkbox"/> Scaling	<input type="checkbox"/> Aggressive
<input type="checkbox"/> Staining - Red / Orange	<input type="checkbox"/> Iron / Manganese	<input type="checkbox"/> Suspended Solids
<input type="checkbox"/> Staining - Blue / Green	<input type="checkbox"/> Hardness	<input type="checkbox"/> Organics / Biological

Additional Information (Incl water analysis)

Existing Treatment

Existing Chemical Pre-Treatment:

Calcium Carbonate Sodium Hydroxide Hydrochloric Acid Sulphuric Acid

Other Chemical Pre-Treatment

Existing Filtration:

Cartridge Filtration Bag Filtration Silica / Sand Filtration Iron Removal Carbon Filtration

Other Filtration

Existing Oxidation / Disinfection:

Hydrogen Peroxide Sodium Hypochlorite Ozone Ultra Violet

Other Oxidation / Disinfection

Other Treatment Methods:

Nano Filtration Reverse Osmosis Ion Exchange - Softener Ion Exchange - Demin

Other Existing Treatment

Product Water Details

Point of Use Specifications: Irrigation Potable (select one): SANS 241 WHO

Conductivity Specifications:

< 1500 μS/cm < 750 μS/cm < 25 μS/cm < 10 μS/cm

Other Specifications

Daily Consumption ℓ Consumed In: 20 Hours 10 Hours 8 Hours

Additional Information

This form will enable us to give you a budget estimate, we can only supply you with a fixed quote if we have a recent water analysis from the source. We can supply a comprehensive analysis, if you supply us with 1L of source water in an uncontaminated bottle. Please enquire for current pricing.