ECONOMY PORTABLE COUNTERTOP PURIFIER

Recommended flow:

1.9L/min

6 000L

Expected Made NOT PRINT

Document needs updating.

Send a request to Brainstorm.

8 - 18 months



DELUXE CHROME AND BLACK REPLACEABLE CARTRIDGE **COUNTERTOP PURIFIER**

Recommended flow: 1.9 - 3.8L/min

Expected Maximum PRINT

Average Long Send a request to Brainstorm

18 - 36 months



HI-CAPACITY COUNTERTOP **PURIFIER**

Recommended flow.

1.9 - 3.8L/min

56 800L

Expecte DO NOT PRINT

Average Longevity.

36 - 48 months

R3 050

HI-FLOW UNDERSINK **PURIFIER WITH SEDIMENT FILTER &** T-STYLE FAUCET

Recommended flow:

3.8 - 7.6L/min

Expected May DO NOT PRINT

Document needs updating.

Send a request to Brainstorm.

36 - 60 months



R7 950

HI-FLOW UNDERSINK PURIFIER WITH SEDIMENT FILTER

Recommended flow: **3.8 - 7.6L/min**

Expected Maximum Capacity:
132 000L DO NOT PRINT

Document needs updating.

Average LongSend a request to Brainstorm.

36 - 60 months



R7 450

ECONOMY HI-FLOW UNDERSINK PURIFIER WITH SEDIMENT FILTER **& T-STYLE FAUCET**

Recommended flow: 3.8 - 7.6L/min

Expected Maximum Capacity PRINT

Average Long Send a request to Brainstorm

36 - 48 months



R5 250

ECONOMY HI-FLOW UNDERSINK PURIFIER WITH SEDIMENT FILTER

Recommended flow: 3.8 - 7.6L/min

Expected Maximum Capacity: 66 000L DO NOT PRINT

Average Long Send a request to Brainstorm.

36 - 48 months



R4 900

RC INLINE REFRIGERATOR **SEALED CARTRIDGE**

Recommended flow:

1.9L/min



Expected Move NOT PRINT

Average Longevity.

12 - 24 months



R1 125

RV-RC INLINE REFRIGERATION **CARTRIDGE**

Recommended flow:

1.9L/min

Expected Maximum Capacity PRINT

Average Long Send a request to Brainstorm

8 - 18 months



BOTTLE TYPE -ECONOMY FREE STANDING COLD WATER COOLER

Stainless steel cold tank: 1.8L

Cooling capacity: 3.01 /hr at 10°C

Cold water control of 1 PRINT with 10 min recovery period Document needs updating.

Includes 18.9 Send a request to Brainstorm.

with handle



R3 300

FREE STANDING DIRECT CONNECT HOT AND COLD WATER COOLER

Stainless steel cold tank: 1.8L

Cooling capacity: 4.5L/hr at 10°C

Cold water cold on OT2.PRINT with 10 min recoveryment needs updating.

Send a request to Brainstorm.

Heating capacity: 7.5L/hr at 90°C

R8 100

COUNTERTOP BOTTLELESS HOT AND COLD WATER DISPENSER

Stainless steel cold tank: 1.8L

Cooling capacity: 2.0L/hr at 10°C

Cold water CDO NOT PRINT

1.1L with 10 m Document needs updating.
Send a request to Brainstorm

Heating capacity: 5.0L/hr at 90°C



R3 375

PORTABLE COUNTERTOP **PURIFIER**

Recommended flow:

1.9L/min

11 000L

Expected Map O NOTYPRINT

H20

Average Longevity

12 - 24 months



RV-RCT REPLACEABLE CARTRIDGE COUNTERTOP PURIFIER

Recommended flow:

1.9 - 3.8L/min

11 3501

Expected Mayor NOT PRINT

Send a request to Brainstorm.

Average Longevity:

12 - 18 months



REPLACEABLE CARTRIDGE UNDERSINK **PURIFIER WITH** SEDIMENT FILTER

Recommended flow:

1.9 - 3.8L/min

18 925L

Expected Map O NOT PRINT

Send a request to Brainstorm.

Average Longevity:

18 - 36 months



R5 150

REPLACEABLE CARTRIDGE UNDERSINK **PURIFIER WITH** SEDIMENT FILTER

Recommended flow:

1.9 - 3.8L/min

11 350L

Expected Mado NOT PRINT

Send a request to Brainstorm.

Average Longevity:

12 - 24 months



R3 385

25L QUICKSERVE WATER DISPENSER WITH TAP

Dimensions:

295mm x 244mm x 456mm

Cap Size: 60 MOT PRINT

Features Inc. Send a request to Brainstorm.

dispensing

Ideal for water storage





DELUXE GAC/KDF/ **RIOLYTE CARTRIDGE**

(To fit standard Housings)



- Replaceable 5 Micron filter pad
- Silver impregnated coconut shell
- Granular Activated Carbon
- Riolyte
- DO NOT PRINT • KDF 55

Document needs updating.

Expected MaxSend a request to Brainstorm. 18 925L

Average Longevity: 18 - 36 months

Sediment Pre-Filter







RI 125

STANDARD GAC/KDF/ **RIOLYTE CARTRIDGE**

Filtration media / steps:

- Replaceable 5 Micron filter pad
- Silver impregnated coconut shell
- Granular Activated Carbon
- Riolyte
- KDF 55

DO NOT PRINT

18 925L

Document needs updating.
Expected Max Send a request to Brainstorm.

Average Longevity: 18 - 36 months

R1 100

REPLACEABLE CARTRIDGE FOR FILTER SHOWER HEAD

Filtration media / steps: **KDF 55**

Expected Maximum Capacity:

Approx 28 0000 NOT PRINT

Average LongevDocument needs updating.
4 - 6 months Send a request to Brainstorm.

4 - 0 III0I IIII5

Maximum Flow Rate:

9.5L/min



CARBON BLOCK 10"

Filtration media / steps: Activated carbon block - 5 Micron

Average Longeving 4 - 6 morths DO NOT PRINT



ECONOMY UNDER COUNTER CHILLER

Cooling Capacity: 10.0L/hr at 8-12°C

Cold Water Continuous Flow:

1.1L with 10 min recover period

DO NOT PRINT

Working ambie Pocument needs updating.
Send a request to Brainstorm.

Dimensions: 39 x 36 x 28 (cm)

Net weight: 12.0kg



R6 275

UNDERSINK COLD WATER DISPENSER

Cooling capacity:

15L/hr at 10°C

Cold water continuous flow: 3L

Working amb DO NOT PRINT

Document needs updating.

Dimensions: Send a request to Brainstorm.

26 x 23.5 x 40.7 (cm)

Net weight: 14.0kg



R13 750

FREE STANDING COLD WATER FOUNTAIN WITH BUBBLER AND GLASS FILLER

- Free-standing
- Cold water
- · Bubbler an DOS NOT PRINT
- Steel/Grey Send a request to Brainstorm.
- · Ideal for public use



BIBO fizz bar

- Sparkling drink maker with CO2 cylinder
- · Refizz your flat drinks
- Can be used with tea infusions, juice, water, flat beer, cold drinks or wine
- Allows you to be hear Odrinks RINT
- · Sleek, stylish and occument needs updating.
- Requires no el Sendta request to Brainstorm.
- Very easy to use and clea
- Includes 1 x BIBO Fizz Bottle 1 Litre
- · CO2 Cylinder can fizz up to 60 Litres
- · Available in black, white or red





R1 250

BIBO fizz go

- Portable Sparkling Water Maker
- Comes with 6 single use carbonation cartridges
- Carbonates water and other liquids
- Allows you to create healthier drinks
- Simple twist and carbonate of the PRINT Sleek, easy to see the see that the see tha

- Requires no electrody mentifieeds updating.
 Includes 1 x BI Send a request to Brainstorm
- CO2 Charges are used once to fizz 1 Litre of water
- · Available in white or red
- 1 year warranty



R660

BIBO BAR WATER DISPENSER

Power 1700W Voltage: 230V Dimensions:

W 30cm x D 35cm x H 33cm

Cup height: 2357 Composite PRINT

The BIBO Bar need a request to Brainstorm.

multistage carbon block filter replaced every 6 months and the UV light replaced every year



UE-POE SED 10" – 1 MICRON POLYPROP

Average longevity: 3 - 12 months

Dimensions DO NOT PRINT

Send a request to Brainstorm.



B5C - FREE STANDING, BOTTLE-TYPE, COLD & AMBIENT WATER **DISPENSER**

Stainless steel cold tank: 1.8L

Cooling capacity: 4.51 /hr at 10°C

Cold water confined to PRIN

2.0L with 10 min recovery period
Document needs updating.

Ambient operation a request to Brainstorm

10°C - 38°C



POLYCARBONATE 18.9 LITRE BOTTLE

Capacity: 18.9 Litres (5 gallon)

Fits all water coolers and dispensers

DO NOT PRINT

Carry handle in pocument needs updating.



E-BOIL 2.5 LITRE – CLASSIC WHITE FINISH

The new and improved E-Boil, the wall-mounted boiling water system that never runs dry. Whether it is for home use or for a small office environment, you provide to provide to



STARTING FROM R6 218.70